

 **MANSFIELD®**

PRODUCT OVERVIEW

Commercial Fixtures

Reliable, high-performance products for any commercial application





TABLE OF CONTENTS

TAA.....	1
Flushometer Toilets.....	2
Elementary Toilet.....	3
Urinals.....	4
Lavatories.....	5-7
Pressure-Assist Toilets.....	8-10
Competitive Cross Reference.....	11
Product Reference Charts.....	12
General Terms.....	13

A PRODUCT FOR EVERY APPLICATION

With today's demanding project requirements, specifying vitreous china fixtures for commercial applications can be a daunting task. Luckily, Mansfield is here to help. Our extensive line of commercial toilets, urinals and lavatories delivers everything you need and more, creating the perfect blend of performance, quality, features and availability. When you choose Mansfield, you get products and service backed by over 95 years of commercial fixture experience and innovation.

THE MANSFIELD ADVANTAGE		
CONSISTANT AVAILABILITY	QUALITY PRODUCTS	FAIR PRICES
<i>Our supply chain responds quickly, getting orders on the truck and delivered in half the time of those coming from Chinese sources.</i>	<i>We put 95 years of industry expertise to use, leading to rigid quality standards and more satisfied customers at the end of the consumer journey.</i>	<i>We manufacture products that address specific customer needs and ensure affordability across all categories, providing the financial benefit of limiting price wars.</i>

At Mansfield, we work hard to maintain our reputation for excellence and to offer an extensive commercial product line designed to accommodate today's demanding applications. We also offer the best protection in the china industry — the Mansfield Limited Lifetime Warranty.

TABLE OF CONTENTS for Engineers and Architects!

Looking to learn more about Mansfield? Check us out online at mansfieldplumbing.com and register for mansfieldprocenter.com; the tools you need are there. Download catalogs, review specifications, compare models and more. Plus, when you choose Mansfield, you can download high quality CAD drawings, BIM objects (Revit files) and related documents for your next project by visiting mansfieldplumbing.com.



MANSFIELD PLUMBING & TRADE AGREEMENT ACT COMPLIANCE


The Buy American Act is a U.S. law designed to protect domestic industries by giving preference to American-made products and materials for government contracts. The Trade Agreements Act (TAA) is a U.S. law that allows the government to waive the Buy American Act requirements for products from countries with which the U.S. has free trade agreements. The goal is to promote trade and economic relations with these countries.

Mansfield Plumbing Products manufactures sanitaryware utilizing highly automated production processes at facilities in Mexico, Central America and Colombia operated by our parent company CORONA. Also, our facility in Henderson, Texas, manufactures our acrylic bathware product line.

Nearly every Mansfield product complies with the Trade Agreements Act (TAA) requirements, and a great number of our bathware products also comply with the more stringent Buy American Act (BAA) requirements. Look for TAA icon throughout this catalog to help guide you through your compliance questions.

For more information, visit the U.S. government's Acquisition Central website at www.acquisition.gov.

Look for this icon next to each product listing



FLUSHOMETER TOILETS

Mansfield® flushometer toilets deliver enhanced durability, premium performance and ADA installation options. These fixtures provide long-term dependability for many specialty applications including healthcare settings.

Flushometer, toilet seat and supply not included.

TAA

Adriatic

Model 1319

Specifications*



HIGH EFFICIENCY TOILET



ELONGATED SMARTHEIGHT



ELONGATED SMARTHEIGHT ADA




ADA COMPLIANT



Features:

- Floor-mount flushometer toilet
- Specifically designed for industrial, commercial and clinical applications
- Siphon-jet flushing action for exceptional performance
- Water consumption ranges from 1.1 to 1.6 gallons per flush, depending on the flush valve used
- Elongated SmartHeight bowl for maximum comfort
- 2-1/8" glazed trapway reduces clogging
- 1-1/2" top spud
- 10" rough-in
- Available in White
- 1,000 gram MaP



TAA

Baltic

Model 1311

Specifications*



HIGH EFFICIENCY TOILET




ELONGATED



Features:

- Floor-mount flushometer toilet
- Specifically designed for industrial and commercial applications
- Siphon-jet flushing action for exceptional performance
- Water consumption ranges from 1.1 to 1.6 gallons per flush, depending on the flush valve used
- Elongated standard height bowl
- 2" glazed trapway reduces clogging
- 1-1/2" top spud
- 10" rough-in
- Available in White
- 1,000 gram MaP



TAA

Erie

Model 9011

Specifications*



HIGH EFFICIENCY TOILET



ELONGATED




REAR OUTLET

ADA COMPLIANT



Features:

- Wall-mount, rear outlet flushometer toilet
- Elongated bowl
- Specifically designed for industrial, commercial and clinical applications
- Siphon-jet flushing action for exceptional performance
- Water consumption ranges from 1.1 to 1.6 gallons per flush, depending on the flush valve used
- 1-7/8" glazed trapway reduces clogging
- 1-1/2" top spud
- Available in White
- 1,000 gram MaP



*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME Standard A112.19.2/CSA B45.1.

TAA

Commercial Elongated Seat

Model SB900



Features:

- Heavy duty plastic, open front
- Includes mounting hardware and instructions



ELEMENTARY™ TOILET

TAA

The Mansfield® Elementary™ juvenile toilet is specifically designed for school and daycare applications. Its juvenile height and safety features make it ideal for young children to use confidently and independently.




Elementary™

Model 4326-4321

Specifications*

Features:

- Juvenile toilet (10-3/8" high bowl)
- Rimless design provides larger bowl opening and easy cleaning
- Includes slow close seat
- Includes cover lock
- 1.28 gpf / 4.8 lpf high efficiency water consumption
- Round front bowl
- 2" flapper flush valve
- Pilot operated anti-siphon fill valve
- 10" rough-in
- Chrome-plated trip lever
- 1-5/8" glazed trapway
- Available in White
- 600 gram MaP



Designed at child-friendly height for easy use.



*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME Standard A112.19.2/CSA B45.1.

URINALS

Mansfield® urinals deliver performance and dependability in a variety of handsome styles and options. High-efficiency, water-conserving urinals as well as ADA compliant models help meet the requirements of today's commercial applications.

Flushometer and supply not included.

TAA

Adam HE


Model 401HE

Specifications*



Features:

- 0.5 gpf / 1.9 lpf urinal
- Wall-mount, wash-out flush action
- Easy to clean
- Fitted with 3/4" top spud and 1-1/2" outlet spud
- Mounting bracket and bolts included
- Available in White



TAA

Arctic™


Model 476

Specifications*



Features:

- Wall-mount, wash-down urinal
- Rim-flushing action
- 0.5 gpf / 1.9 lpf
- Height 23 7/8", Width 13 1/4", Depth 14 1/4"
- Concealed trapway
- Includes top spud, wall hanger and outlet spud
- Complies with ADA requirements
- The Mansfield® limited lifetime warranty
- Available in White



TAA

Brevity™


Model 422

Specifications*



Features:

- Ultra-high efficiency 1-pint (0.125 gpf / 0.5 lpf) urinal
- Wall-mount, wash-out flush action
- 3/4" top spud
- Integral trap
- Modern look with clean lines
- Easy to clean
- Includes integrated strainer, two concealed hangers and bolts
- Available in White



Cascade™ II


Model 414UHE

Specifications*



Features:

- 0.125, 0.5 or 1.0 gpf (when using the proper flush valve)
- Half-stall, wall-mount, wash-down urinal with extended sides
- 3/4" top spud
- Integral trap
- Mounting bracket and bolts included
- Available in White



LAVATORIES

Mansfield® offers lavatories to accommodate virtually any commercial application. Whatever your need, you'll find a stylish and durable, vitreous china Mansfield lavatory for the job.


Faucets not included.

TAA	Grand Isle	Model 2018HBNS	Specifications*
-----	------------	----------------	-----------------



Features:

- 22" x 18-1/8" wall-mount lavatory
- Basin: 16" x 10 5/8"
- Full 4" high backsplash
- Drilled for concealed arm carrier, required
- Concealed front overflow
- Includes hanger
- Available in 4" faucet centers and Single Hole
- Available in White




TAA	Willow Run	Model 1918	Specifications*
-----	------------	------------	-----------------



Features:

- 19-1/2" x 16-3/4" wall-mount lavatory
- Basin: 13-1/2" x 10"
- Wide back ledge with twin side soap recesses
- Drilled for concealed arm carrier, required
- Concealed front overflow
- Includes hanger
- Includes holes under front corners for use with metal console base/legs
- Available in 4" faucet center
- Available in White




TAA	Petite Maple	Model 216NS	Specifications*
-----	--------------	-------------	-----------------



Features:

- 17-1/8" x 14-1/4" undercounter lavatory
- Basin: 15-1/8" x 12-1/4"
- Petite oval style
- Concealed front overflow
- Available in White



*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME Standard A112.19.2/CSA B45.1.

TAA

Maple


Model 217

Specifications*



Features:

- 19-3/4" x 16" undercounter lavatory
- Basin: 17-5/16" x 14-1/8"
- Oval style
- Concealed front overflow
- Available in White



TAA

Maple II


Model 225

Specifications*



Features:

- 19-3/16" x 16-9/16" oval, undercounter lavatory
- Basin: 17" x 14-5/16"
- Oval style
- Concealed front overflow
- Available in White



TAA

Petite Covington


Model 218NS

Specifications*



Features:

- 21-3/8" x 13-5/8" undercounter lavatory
- Basin: 19" x 11-3/8"
- Petite rectangular style
- Concealed front overflow
- Available in White



TAA

Brentwood


Model 234

Specifications*



Features:

- 20-5/16" x 14-3/16" undercounter lavatory
- Basin: 18-15/16" x 13"
- Rectangular style
- Concealed front overflow
- Available in White



TAA


Marsella™ Oval Drop-In

Model 2237

Specifications*

Features:

- 20" x 17-3/4" oval, self-rimming, Drop-in lavatory
- Basin: 16-3/16" x 11"
- Complies with ADA requirements for accessibility
- Concealed front overflow
- Available Single hole and 4" faucet centers
- Available in White



TAA


MS Oval Drop-In

Model 237

Specifications*

Features:

- 20-1/2" x 17" oval, self-rimming lavatory
- 17" x 11-1/8" basin
- Complies with ADA requirements for accessibility
- Concealed front overflow
- Available Single hole and 4" faucet centers
- Available in White



TAA


Valencia™ Round Lavatory

Model 2239

Specifications*

Features:

- 19" round, self-rimming lavatory
- Basin: 14-5/8" x 13-1/2"
- Round style lavatory
- Concealed front overflow
- Complies with ADA requirements for accessibility
- Available with 4" faucet centers



TAA


MS Round Lavatory

Model 239

Specifications*

Features:

- 19-1/4" x 19-5/8" round, self-rimming lavatory
- 15-1/4" x 12-3/8" basin
- Complies with ADA requirements for accessibility
- Concealed front overflow
- Available with 4" faucet center
- Available in White



PRESSURE-ASSIST

TAA

Quantum® pressure-assist toilets provide commercial-grade power for bathrooms with heavy traffic. The pressure-assist flushing system by Flushmate® uses compressed air to blast water through the bowl, delivering a quicker, more effective flush than conventional gravity toilets. Available in three water consumption options, Quantum® offers the perfect balance of power and water conservation for any application.

Toilet seat and supply not included.



PRESSURE-ASSIST FLUSHMATE VESSEL

As the vessel fills with water, it traps and compresses the air inside. Every time you flush, the compressed air forces the water into the bowl, pushing water and waste through the toilet and down the drain line, providing a cleaner and more effective flush.


COMMERCIAL GRADE POWER



The power is in the quiet *WHOOSH*. You'll hear pressure-assist performance every time you flush. With powerful bowl evacuation and great drain line carry, Quantum® provides reliable, clog-free use for years to come.

PRESSURE-ASSIST FLUSHING PERFORMANCE & CONSERVATION

The power to conserve water yet perform to the demands of commercial applications - these are the high standards achieved by the Mansfield pressure-assist flushing system. The flushing power delivered by all Quantum® model toilets easily exceeds all ANSI/ASME toilet tests including the 60-foot drain line carry. For water conservation and commercial-grade reliability, put the power of Mansfield to work for you.



PRESSURE-ASSIST TOILETS

QuantumOne - Model 144-153 | **Quantum 1.28 gpf** - Model 144-155 | **Quantum 1.6 gpf** - Model 144-123

Specifications*

TAA



HIGH EFFICIENCY



FLUORINATED



REAR OUTLET

ADA COMPLIANT

MaPTM
PREMIUM

* Only QuantumOne


Features:

- Elongated front, rear outlet wall-mount toilet
- High performance pressure-assist flushing system
- Available in:
 - 1.0 gpf / 3.8 lpf ultra-low water consumption
 - 1.28 gpf / 4.8 lpf high efficiency water consumption
 - 1.6 gpf / 6.0 lpf low water consumption
- 2" glazed trapway
- Available in White
- 1000 gr Map for 1.28 gpf and 1.6 gpf; 800 gr for 1.0 gpf.



Also Available:

- Model 144-153RH with right-hand trip lever
- Model 144-155RH with right-hand trip lever
- Model 144-123RH with right-hand trip lever



QuantumOne - Model 144-153 | **Quantum 1.28 gpf** - Model 144-155 | **Quantum 1.6 gpf** - Model 144-123

Specifications*

TAA



HIGH EFFICIENCY



FLUORINATED



READ OUTLINE



ADA COMPLIANT

MaP[®]
PREMIUM

* Only QuantumOne


Features:

- longated front, rear outlet wall-mount toilet
- High performance pressure-assist flushing system
- Available in:
 - 1.0 gpf / 3.8 lpf ultra-low water consumption
 - 1.28 gpf / 4.8 lpf high efficiency water consumption
 - 1.6 gpf / 6.0 lpf low water consumption
- 2" glazed trapway
- Available in White
- 1000 gr Map for 1.28 gpf and 1.6 gpf; 800 gr for 1.0 gpf.



Also Available:

- *Model 151-153RH with right-hand trip lever*
- *Model 151-155RH with right-hand trip lever*
- *Model 151-123RH with right-hand trip lever*



TAA




* Only QuantumOne

Features:

- Elongated front, rear outlet wall-mount toilet
- High performance pressure-assist flushing system
- Available in:
 - 1.0 gpf / 3.8 lpf ultra-low water consumption
 - 1.28 gpf / 4.8 lpf high efficiency water consumption
 - 1.6 gpf / 6.0 lpf low water consumption
- 2" glazed trapway
- Available in White
- 1000 gr Map for 1.28 gpf and 1.6 gpf; 800 gr for 1.0 gpf.

Also Available:

- Model 147-153RH with right-hand trip lever
- Model 147-155RH with right-hand trip lever
- Model 147-123RH with right-hand trip lever



10 YEAR
FLUSHMATE

LIMITED
LIFETIME
PORCELAIN

TAA




* Only QuantumOne

Features:

- Elongated front, Smart Height toilet, ADA compliant
- High performance pressure-assist flushing system
- Available in:
 - 1.0 gpf / 3.8 lpf ultra-low water consumption
 - 1.28 gpf / 4.8 lpf high efficiency water consumption
 - 1.6 gpf / 6.0 lpf low water consumption
- 2" glazed trapway
- Available in White
- 1000 gr Map for 1.28 gpf and 1.6 gpf; 800 gr for 1.0 gpf.

Also Available:

- Model 148-153RH with right-hand trip lever
- Model 148-155RH with right-hand trip lever
- Model 148-123RH with right-hand trip lever



10 YEAR
FLUSHMATE

LIMITED
LIFETIME
PORCELAIN

COMPETITIVE CROSS REFERENCE

MANSFIELD			GERBER	AMERICAN STANDARD	KOHLER	ZURN
LAVATORIES	MODEL #	PRODUCT DESCRIPTION	MODEL #	MODEL #	MODEL #	MODEL #
	234	Brentwood Undercounter	12-791	0483.000	K-2339	-
	218	Petite Covington Undercounter	12-760	0614.000	K-2214	-
	2018HBNS-4	Grande Isle Wall-Mount, 4" Faucet Center	12-654	0355.012	K-2005	Z5364
	216	Petite Maple Undercounter	12-770-F	0495.221	K-2209	-
	217	Maple Undercounter	12-780	0496.221	K-2210	Z5220
	225	Maple II Undercounter	12-780	0496.221	K-2210	Z5220
	1918	Willow Run Wall-Mount, 4" Faucet Center	12-314	0321.026	K-1728	Z5314
SPUD BOWLS	1319	Adriatic 1.1 to 1.6 gpf Elongated ADA, Floor-Mount Flushometer Bowl	25-733	3043.001	K-96057	Z5665
	1311	Baltic 1.1 to 1.6 gpf Elongated, Floor-Mount Flushometer Bowl	25-833	3451.001	K-96053	Z5655
	9011	Erie 1.1 to 1.6 gpf Elongated, Rear Outlet, Wall-Mount Flushometer Bowl	25-033	2257.101	K-4325	Z5615
TOILET COMBINATIONS	Quantum - Pressure Assist 1.6 gpf					
	144-123	1.6 gpf / 6.0 lpf, Elongated, Rear Outlet, Wall-Mount	20-370	2878-01-6	-	-
	147-123	1.6 gpf / 6.0 lpf, Elongated	20-312	2462.016	K-3505	Z5770
	148-123	1.6 gpf / 6.0 lpf, Elongated, ADA	20-318	2467.016	K-3493	Z5560
	151-123	1.6 gpf / 6.0 lpf, Elongated, ADA Rear Outlet	20-325	2878.016	-	-
	Quantum 1.28 - Pressure Assist 1.28 gpf					
	144-155	1.28 gpf / 4.8 lpf, Elongated, Rear Outlet, Wall-Mount	HE-20-370	-	-	-
	147-155	1.28 gpf / 4.8 lpf, Elongated	HE-20-312	-	-	-
	148-155	1.28 gpf / 4.8 lpf, Elongated, ADA	HE-20-318	-	-	-
	151-155	1.28 gpf / 4.8 lpf, Elongated, ADA Rear Outlet	HE-20-325	-	-	-
	QuantumOne - Pressure Assist 1.0 gpf					
	144-153	1.0 gpf / 3.86 Lpf, Elongated, Rear Outlet, Wall-Mount	UL-20-370	2876.100 (1.1 gpf)	-	-
	147-153	1.0 gpf / 3.86 Lpf, Elongated	UL-20-312	2462.100 (1.1 gpf)	K-3531	Z5571 (1.1 gpf)
	148-153	1.0 gpf / 3.86 Lpf, Elongated, ADA	UL-20-318	2467.100 (1.1 gpf)	K-3519	Z5561 (1.1 gpf)
	151-153	1.0 gpf / 3.86 Lpf, Elongated, ADA Rear Outlet	UL-20-325	2878.100 (1.1 gpf)	K-3578	-
	Elementary - Juvenile 1.28 gpf					
	4326-4321	1.28 gpf / 4.86 lpf, Round, Juvenile	HE-20-601	2315.228	-	Z5590
URINALS	401HE	Adam HE Wall Mount, Wash-Down 0.5 gpf / 1.9 lpf	HE-27-730	6581.001	K-5024-T	Z5720 (1.0 gpf)
	422	Brevity ADA 0.125 gpf / 0.5 lpf	HE-27-900	6042.001EC	-	-
	476	Urinal 476 ADA Arctic WH	-	60020001	K-5452-ET	Z5738
	414UHE	Cascade II Half-Stall, Wash-Down 0.125 gpf / 0.5 lpf - Top Spud	HE-27-800	6590.001	K-4991-ET	Z5755

TAA PRODUCT LISTING CHART

	MODEL #	PRODUCT DESCRIPTION	TAA COMPLIANT	PAGE #
LAVATORIES	234	Brentwood Undercounter	•	6
	218	Petite Covington Undercounter	•	6
	2018HBNS-1	Grande Isle Wall-Mount, Single Hole	•	5
	2018HBNS-4	Grande Isle Wall-Mount, 4" Faucet Center	•	5
	216	Petite Maple Undercounter	•	6
	217	Maple Undercounter	•	6
	225	Maple II Undercounter	•	5
	1918	Willow Run Wall-Mount, 4" Faucet Center	•	5
	2237-1	Marsella Oval Drop-In Lavatory, Single Hole	•	7
	2237-4	Marsella Oval Drop-In Lavatory, 4" Faucet Center	•	7
	2239	Valencia Round Lavatory, 4" Faucet Center	•	7
SPUD BOWLS	1319	Adriatic 1.1 to 1.6 gpf Elongated ADA, Floor-Mount Flushometer Bowl	•	2
	1311	Baltic 1.1 to 1.6 gpf Elongated, Floor-Mount Flushometer Bowl	•	2
	9011	Erie 1.1 to 1.6 gpf Elongated, Rear Outlet, Wall-Mount Flushometer Bowl	•	2
TOILET COMBINATIONS	Quantum - Pressure Assist 1.6 gpf			
	144-123	1.6 gpf / 6.0 lpf, Elongated, Rear Outlet, Wall-Mount	•	9
	147-123	1.6 gpf / 6.0 lpf, Elongated	•	9
	148-123	1.6 gpf / 6.0 lpf, Elongated, ADA	•	9
	151-123	1.6 gpf / 6.0 lpf, Elongated, ADA Rear Outlet	•	9
	Quantum 1.28 - Pressure Assist 1.28 gpf			
	144-155	1.28 gpf / 4.8 lpf, Elongated, Rear Outlet, Wall-Mount	•	8
	147-155	1.28 gpf / 4.8 lpf, Elongated	•	8
	148-155	1.28 gpf / 4.8 lpf, Elongated, ADA	•	8
	151-155	1.28 gpf / 4.8 lpf, Elongated, ADA Rear Outlet	•	8
	QuantumOne - Pressure Assist 1.0 gpf			
	144-153	1.0 gpf / 3.86 lpf, Elongated, Rear Outlet, Wall-Mount	•	7
	147-153	1.0 gpf / 3.86 lpf, Elongated	•	7
	148-153	1.0 gpf / 3.86 lpf, Elongated, ADA	•	7
	151-153	1.0 gpf / 3.86 lpf, Elongated, ADA Rear Outlet	•	7
	Elementary - Juvenile 1.28 gpf			
	4326-4321	1.28 gpf / 4.86 lpf, Round, Juvenile	•	3
	4326-4321	1.28 gpf / 4.86 lpf, Round, Juvenile	•	3
URINALS	401HE	Adam HE Wall Mount, Wash-Down 0.5 gpf / 1.9 lpf	•	4
	476	Urinal 476 ADA Arctic WH	•	4
	422	Brevity ADA 0.125 gpf / 0.5 lpf	•	4
	414UHE	Cascade II Half-Stall, Wash-Down 0.125 gpf / 0.5 lpf - Top Spud		4
SEAT	SB900	Commercial Elongated Seat	•	3

For more information, visit the U.S. government's Acquisition Central website at www.acquisition.gov.

LOOK FOR THESE ICONS NEXT TO EACH PRODUCT LISTING FOR COMPLIANCE (SEE DESCRIPTION ON PG 1)



For a full product listing please visit www.mansfieldplumbing.com. Additional information may be found in Mansfield's List Price Book.

GENERAL TERMS



LIFETIME LIMITED WARRANTY - VITREOUS CHINA

Warranty on china products to be free from defects in materials and workmanship, under normal use and maintenance, for the lifetime of the product from the date of the initial retail purchase.



ADA COMPLIANT

When properly installed, product meets the requirements for the Americans with Disabilities Act of 1990 (ADA). Refer to local plumbing codes, as they may vary by location and application.

TAA

TRADE AGREEMENTS ACT (TAA) COMPLIANT

Qualifies for the exceptions to the Buy American Act allowed under the Trade Agreements Act (TAA) for certain government contracts.

SANITARYWARE

TOILETS



ELONGATED
STANDARD HEIGHT

ELONGATED STANDARD HEIGHT

For those with a larger bathroom, an elongated bowl will fit well and provide added comfort.



ELONGATED
REAR OUTLET

ELONGATED REAR-OUTLET BOWL

For rough-in connections positioned on a wall rather than on the floor.



ROUND FRONT
STANDARD HEIGHT

ROUND FRONT STANDARD HEIGHT

For those with a smaller bathroom, a round bowl will fit well in tighter spaces.



HIGH EFFICIENCY
TOILET

HIGH EFFICIENCY

With a water consumption of 1.28 gallons per flush, or less, you save both water and money.



ULTRA HIGH
EFFICIENCY TOILET

ULTRA HIGH EFFICIENCY TOILET

With a water consumption of 1.28 gallons per flush, or less, you save both water and money.



ELONGATED
SMARTHEIGHT ADA

ELONGATED SMARTHEIGHT

Taller bowl height for easier sitting and standing, meets ADA requirements for bowl height.



MaP PREMIUM

Designation awarded to high-efficiency, optimum performance products which have met the following criteria: WaterSense certified, 1.1 gpf or less and a MaP flush performance score of at least 600 grams.

LAVATORIES



NO-OVERFLOW

NO OVERFLOW

No overflow drains prevent water from spilling over the sink and onto the counter and floor.

URINALS



HIGH EFFICIENCY
URINAL

HIGH EFFICIENCY

Water consumption of 0.5 Lpf / 1.9Lpf.



ULTRA HIGH
EFFICIENCY URINAL

ULTRA HIGH EFFICIENCY

Water consumption of 0.125 gpf / 0.5 Lpf or less.



Mansfield Plumbing Products, LLC

www.mansfieldplumbing.com

1-877-850-3060 | custsrvs@mansfieldplumbing.com

Revised April 2026